

Advancing Vaccines for Better Lives

Company Presentation
April 2020



Disclaimer



This presentation does not contain or constitute an offer of, or the solicitation of an offer to buy or subscribe for, Valneva SE shares to any person in the USA or in any jurisdiction to whom or in which such offer or solicitation is unlawful. The Valneva shares may not be offered or sold in the USA. The offer and sale of the Valneva shares has not been and will not be registered under the 1933 US Securities Act, as amended.

Valneva is a European company. Information distributed is subject to European disclosure requirements that are different from those of the United States. Financial statements and information may be prepared according to accounting standards which may not be comparable to those used generally by companies in the United States.

This presentation includes only summary information and does not purport to be comprehensive. Any information in this presentation is purely indicative and subject to modification at any time. Valneva does not warrant the completeness, accuracy or correctness of the information or opinions contained in this presentation. None of Valneva, or any of their affiliates, directors, officers, advisors and employees shall bear any liability for any loss arising from any use of this presentation.

Certain information and statements included in this presentation are not historical facts but are forward-looking statements. The forward-looking statements (a) are based on current beliefs, expectations and assumptions, including, without limitation, assumptions regarding present and future business strategies and the environment in which Valneva operates, and involve known and unknown risk, uncertainties and other factors, which may cause actual results, performance or achievements to be materially different from those expressed or implied by these forward-looking statements, (b) speak only as of the date this presentation is released, and (c) are for illustrative purposes only. Investors are cautioned that forward-looking information and statements are not guarantees of future performances and are subject to various risks and uncertainties, many of which are difficult to predict and generally beyond the control of Valneva.



Valneva's Value Proposition

Integrated business model with valuable commercial and R&D assets

Commercial Business

Total sales revenues €129.5m in 2019; +25% vs. 2018

IXIARO®

- Only licensed JE vaccine for travelers, Military in North America, CAN, EU
- Sales approaching €100m

DUKORAL®

- Cholera (LT-ETEC) vaccine, licensed in CAN, EU, ROW
- Sales > €30m

Recent transactions underline major valuation disconnect

BN product acquisition from GSK @ 4.5x revenue

R&D

Lyme vaccine in Phase 2 with data reading out from mid-2020

US/EU market opportunity of ~\$1bn per annum

- Only program in clinical development
- Commercial/development partner tbc (expected by year end)

Chikungunya vaccine entering Phase 3 in Q4 2020

Global market opportunity of ~\$0.5bn per annum

- Huge synergy with existing infrastructure
- Possible Priority Review Voucher upside

R&D provides upside for shareholders

Two unique vaccines with low R&D risk profile to be launched in the next 3-4 years



Valneva: A specialty vaccine company focused on prevention against diseases with major unmet medical needs

**€85m–€115m
product sales
expected in 2020¹**
(incl. COVID-19 impact)

**€64.4m cash
in 2019**

\$85m debt facility
secured early 2020

**~ 65% gross margin
in 2019**

~ 80% direct sales

**2 unique late
stage programs**

Lyme
Chikungunya

~ 500 people

Four main sites
Six in-market
commercial teams

**>100 people
in R&D**

High R&D
investment
in 2020 to drive
Lyme and chik late-stage
development

¹ 2020 Guidance from Valneva PR: [Valneva Provides Business Update on COVID-19 Situation](#);

Lyme Disease Vaccine – VLA15



Lyme Disease is a Massively Important Health Issue

– Media Attention Spiked Again in January 2020

No approved options that can protect humans against Lyme disease

Analysis suggests a Lyme vaccine in the US and EU could have peak revenue potential of more than ~\$1b¹

Lyme disease cases may rise 92 per cent in US due to climate change (New Scientist)²




¹ Lyme Disease. L.E.K. interviews, research and analysis, ² <https://www.newscientist.com/article/2232705-lyme-disease-cases-may-rise-92-per-cent-in-us-due-to-climate-change/>



VLA15 – Key Value Driver in 2020 and Beyond

The only Lyme disease vaccine candidate in clinical development today




¹ Valneva PR: [Valneva Reports Positive Initial Booster Data and Final Phase 1 Data for its Lyme Disease Vaccine Candidate](#)



VLA15: Phase 2 – Optimizing Dose and Schedule

Observer-blind, randomized, placebo-controlled, Phase 2 studies conducted in the US and EU¹



¹ VLA15-201 only (ClinicalTrials.gov Identifier: NCT03769194); Phase 2 subjects are baseline seropositive (10%) or seronegative (90%); ² Valneva PR: [Valneva Reports Successful Outcome of Phase 2 Run-In for its Lyme Disease Vaccine Candidate](#); ³ Valneva PR: [Valneva Initiates Second Phase 2 Study for its Lyme Disease Vaccine Candidate VLA15](#); VLA15-202 ClinicalTrials.gov Identifier: NCT03970733



VLA15 Phase 2 Progressing Extremely Well

– Clinical development overview

Patient recruitment for both Phase 2 studies completed September 2019

Phase 2 first data due mid-2020

- Initial data: Day 85 after base immunization schedule expected mid-2020

Phase 3 initiation planned in 2021/2022

- Two placebo-controlled Phase 3 efficacy studies
 - › 8,000 subjects in each of US and Europe
 - › Based on current estimates of Lyme disease incidence rates in order to demonstrate efficacy of the vaccine in Lyme endemic regions in the U.S. and Europe
- Detailed plans for Phase 3 entry to be discussed with FDA based on Phase 2 data
- Timing depends on schedule, tick season(s), Phase 2 data and other factors

*Subject to development progress, regulatory approvals and company funding

Chikungunya Vaccine – VLA1553




Chikungunya is a Growing and Enduring Problem

Currently there is no vaccine or any **treatment options** for chikungunya

Global market including endemic regions (see below)
Traveller vaccine market at up to €250m¹

2019 - 2020: outbreaks² in Africa (Djibouti, Ethiopia, Kenya, Sudan), **Asia** (Philippines, Thailand), **and South America** (Brazil, Colombia)



¹ Chikungunya. L.E.K. interviews, research and analysis for traveler vaccine market., ² Djibouti, Ethiopia, Kenya, Sudan; Philippines, Thailand; Brazil, Colombia



VLA1553 – Key Growth Driver for Future Valneva Sales

The only single-shot vaccine candidate against chikungunya today



- 1 VLA1553 is a monovalent live attenuated¹ prophylactic vaccine targeting chikungunya virus neutralization
- 2 Currently no preventive vaccines or effective antiviral treatments exist for chikungunya
- 3 FDA Fast Track Designation granted. Priority Review Voucher eligible
- 4 Phase 1 complete. Accelerated Approval Pathway confirmed with potential Phase 3 start in Q4 2020²
- 5 Seamless fit with existing commercial and manufacturing capabilities as a plug-and-play asset
- 6 Up to \$23.4 million (€20.3 million) awarded to Valneva for R&D by CEPI

¹ CHIKV LR2006-OPY1 infectious clone was attenuated by deleting large part of gene coding nsP3 (alphavirus-replicase; ² Valneva PR: [Valneva Reports Positive End-of-Phase 2 Chikungunya Meeting with the U.S. FDA; Sets Stage for Phase 3 Study](#); Photo credit: James Gathany ([source](#)))



Chikungunya Phase 1 Study (VLA1553-101) – Final Results

Sustained immunogenicity with single shot for over one year

Immunogenicity

100% Seroconversion Rate (SCR)¹ achieved at Day 14 after a single vaccination in all dose groups²

SCR sustained at 100% after 13 months with no decline in neutralizing antibody titers in the groups after a single vaccination²

Excellent immunogenicity profile after single vaccination

Safety²

Generally safe in all dose groups

Well-tolerated at the low and medium doses

- Superior safety profile, including viremia, in low and medium doses compared to highest dose

Excellent local tolerability

No adverse events of special interest (e.g. chikungunya infection related) and no vaccine related Serious Adverse Events (SAEs) up to Month 13

Excellent safety profile in low and medium doses²

¹ SCR defined as proportion of subjects achieving a CHIKV-specific neutralizing antibody titre as NT₅₀ ≥ 20; ² [Valneva Reports Excellent Final Phase 1 Results for its Chikungunya Vaccine Candidate, Confirms Plans](#)



VLA1553 – Excellent Data and Progressing Rapidly

Status and clinical development overview

Positive End of Phase 2 FDA meeting (EoP2)

- Detailed Phase 3 design confirmation expected
- Confirmation for the Accelerated Approval Pathway already received
- Excellent Phase 1 previously reported

Additional non-clinical studies requested by FDA fully completed

- Mosquito transmission studies
- NHP study addressing biodistribution
- Passive transfer study in NHPs to develop surrogate of protection using human sera from VLA1553-101

Awaiting detailed protocol review with FDA before initiating Phase 3 in Q4 2020

Commercial Products



IXIARO®/JESPECT®

Only vaccine against Japanese encephalitis (JE) in US, Canada and Europe

IXIARO®/JESPECT®

- Designed to protect travelers and military against JE, the leading cause of viral neurological disease and disability in Asia
- Indicated for active immunization against JE in **adults, adolescents, children and infants** aged two months and older¹


Commercial position

- Currently, **no effective treatment for the disease**
- **The only approved vaccine available for US, EU and Canadian travelers**
- Supply agreement in place with US military and strong track record of repeat contracts
- Limited competition - local producers exist in endemic regions and mainly serve public markets

North America driving growth

FY '19 product sales analysis

€94.1m



¹ Indications differ by country - Please refer to Product / Prescribing Information (PI) / Medication Guide approved in your respective countries for complete information, incl. dosing, safety and age groups in which this vaccine is licensed. The currently available presentation for Ixiaro® can be used in children from 3 years of age. Prior to availability of the new presentation, no attempt should be made to adjust the syringe volume or to administer a 0.25mL/3µg dose in children less than 3 years of age.

Only cholera (ETEC¹) vaccine approved in EU, Canada and Australia

DUKORAL®


- For the prevention of diarrhea caused by *Vibrio cholera* and/or heat-labile toxin producing enterotoxigenic *Escherichia coli* (ETEC)¹
- Designed to protect adults and children traveling to endemic areas

Commercial position

- In several markets, incl. EU, indicated for cholera only
- **Only approved cholera vaccine available for Canadian, European and Australian travelers**
 - ~3-5 million cholera cases, 100,000-120,000 deaths/year²
 - ~5-18 million reported ETEC cases/year³ (ETEC is the most frequent form of traveler's diarrhea)
 - WHO pre-qualification widely used in other countries
 - Asian manufacturers predominantly serve local markets

Canada remains our key market

FY '19 product sales analysis
€31.5m



¹ Indications differ by country - Please refer to Product / Prescribing Information (PI) / Medication Guide approved in your respective countries for complete information, incl. dosing, safety and age groups in which this vaccine is licensed, ETEC = Enterotoxigenic Escherichia coli (E. Coli) bacterium; ² WHO cholera factsheet February 2014; ³ Lundkvist J, Steffen R, Jonsson B. Cost-benefit of WC/rBS oral cholera vaccine for vaccination against ETEC-caused travelers' diarrhea. J Travel Med 2009; 16(1):28-34;



Valneva's Management and Advisory Team – Dedicated to Deliver VLA's Vision

Experienced international team

Management Board



- **Thomas Lingelbach** – President & CEO (center)
- **Franck Grimaud** – President & CBO (2nd from left)
- **David Lawrence** – CFO (2nd from right)
- **Wolfgang Bender, MD, PhD** – CMO (left)
- **Frédéric Jacotot** – General Counsel & Corporate Secretary (right)

Supervisory Board

- **Frédéric Grimaud** (France), *Chairman*
- **Lisa Shaw-Marotto** (US), *Vice Chairperson, Chair – Nomination & Compensation Committee*
- **James Sulat** (US), *Chair – Audit Committee*
- **Anne-Marie Graffin** (France)
- **Alexander von Gabain, Prof., PhD** (Austria)
- **Thomas Casdagli** (UK)
- **Sandra E. Poole** (US)


Scientific Advisory Board

- **Ralf Clemens, MD, Ph.D.**, *Chair*
- **Norman W. Baylor, Ph.D.**
- **Anna Durbin, MD**
- **Alain Munoz, MD, Ph.D.**
- **George R. Siber**
- **Stanley Plotkin, MD**

VLA has strengthened its institutional shareholder base with blue-chip healthcare investors including US


November 2019

- Number of ordinary shares: 90.9m
- Shareholder structure¹:



January 2020

- Number of ordinary shares: 90.9m
- Shareholder structure¹:



Capital strategy

- Leveraging commercial business for non-dilutive funding to complement equity capital
- Intended Nasdaq listing to co-fund late-stage Lyme disease program development

¹ Estimates based on ordinary share capital; ² Combined positions of U.S.-based funds managed by Deerfield Partners, Armistice Capital, New Leaf, General American, Granite Point and others; ³ Funds managed by MVM Life Science Partners; ⁴ Combined positions of Highclere, AXA Investment Managers Ltd. and Abingworth LLP; ⁵ Combined positions of Apus Capital, Apo AM, Lupus alpha, and others; ⁶ Combined positions of AXA Paris, CDC Entreprises Valeurs Moyennes and others; ⁷ Combined positions of 10 funds based in Liechtenstein, the Netherlands, Austria, Luxembourg, and Switzerland.



Lyme disease vaccine candidate VLA15

- **First Phase 2 data expected mid-2020**

Chikungunya vaccine candidate VLA1553

- **Phase 3 initiation (Detailed design and timing pending FDA confirmation)**

New IXIARO® contract with the U.S. Department of Defense expected H1 2020

US IPO update during H2 2020

Thank you
Merci
Danke
Tack



Appendix



Vaccination against Lyme Disease

Justification for a Lyme vaccine



“The high incidence of Lyme disease is perhaps the greatest failure of contemporary public health in the United States and perhaps also in Europe, considering that we know the immunologic basis of control but have no licensed vaccine. A new vaccine would protect people of all ages from serious complications of this bacterial infection.”

— STANLEY A. PLOTKIN

Emeritus Professor of the Wistar Institute at the University of Pennsylvania and inventor of the Rubella vaccine


- Vaccination with OspA has been proven to work in the past (Lymerix[®], ImuLyme[®])
- Disproven postulate¹, restrictive recommendations and corporate decisions resulted in there being no Lyme vaccine available for humans since 2002
- Delayed or inadequate treatment can lead to disabling sequelae
- Disease footprint widens²
- Direct medical costs in the US estimated up to \$1.3 billion³ – indicating an attractive health economical benefit
- Other preventive measures have not been shown to work on a public health scale

1 Steere et al. CID 2011: 52 (Suppl3) S259; 2 New Scientist, Lyme disease is set to explode and we still don't have a vaccine; March 29, 2017 <https://www.newscientist.com/article/mg23431195-800-lyme-disease-is-set-to-explode-and-you-cant-protect-yourself/>; 3 Adrion, E. et al PLOS ONE Feb 2015



Lyme Phase 1 Study (VLA15-101) – Immunogenicity

GMT for highest adjuvanted dose group between 61 (ST1) and 269 (ST2), substantial booster effect



Chikungunya: Vector Prevalence and Disease Outbreaks




Fig 1. World map with countries where autochthonous (locally initiated) chains of CHIKV transmission have been identified. Data from World Health Organization (<http://www.who.int/emergencies/diseases/chikungunya/en/>) and Pan American Health Organization (https://www.paho.org/hq/index.php?option=com_topics&view=article&id=343&Itemid=40931&lang=en). CHIKV, chikungunya virus.

<https://doi.org/10.1371/journal.pntd.0006919.g001>

Rezza & Weaver 2019



VLA1553 is Expected to be Highly Differentiated

Competition overview

	Valneva	Emergent (Paxvax)	Themis
<i>Vaccine candidate</i>	Monovalent, single dose, live-attenuated vaccine candidate	Virus-like particle (VLP) vaccine	Measles-vectored Chikungunya vaccine (MV-CHIK), Live-recombinant vaccine
<i>Schedule</i>	Single-shot - Day 0	2 shots - Day 0 & 28	2 shots - Day 0 & 28
<i>Development stage</i>	Phase 1 in US complete (manuscript in preparation) No Phase 2 trial needed (single shot efficacy)	Phase 2 completed	Multiple Phase 2 studies - 2x completed (in EU/PR) - 1 recruiting - 1 active, not recruiting
<i>Duration of protection</i>	100% seroconversion at 13 months following single-dose administration	6 months	6 months
<i>Phase 3 Guidance</i>	Pivotal trial (Phase 3) initiation planned Q4 2020	2020	2020

1 PR Emergent BioSolutions Announces Interim Results From Phase 2 Study Evaluating CHIKV-VLP, Chikungunya Virus Vaccine Candidate ([Link](#)) + Detailed study results Emergent/Paxvax' Phase 2 clinical trial results ([Link](#)), 2 PR Themis Bioscience Publishes Compelling Phase 2 Results for Lead Vaccine Candidate against Chikungunya Fever in The Lancet ([Link](#)) + Themis' Phase 2 clinical trial results: ([Link](#)), 3 PR Valneva reports further positive results for its chikungunya vaccine candidate ([Link](#)),



VLA1553 Key Differentiators

The only single-shot vaccine candidate for chikungunya today

Rapid onset of long-lasting protection

- Single vaccination is sufficient to induce sustaining, high titer, neutralizing antibodies

Cross-protection potential against globally circulating strains

“Intrinsic human viral challenge” provided first indication of efficacy

Full-scale drug substance manufacturing process established at existing in-house FDA licensed facility

- Product is lyophilized, optimized storage conditions

Regulatory approval will be based on an immunological surrogate¹ (Accelerated Approval Pathway)²

Manufacturing and commercial infrastructure to produce and commercialize VLA1553 already in place

¹ Immune marker reasonably likely to predict clinical benefit, as an immunogenicity endpoint in lieu of a clinical endpoint to infer vaccine effectiveness; ² Valneva PR: [Valneva Reports Positive End-of-Phase 2 Chikungunya Meeting with the U.S. FDA; Sets Stage for Phase 3 Study](#)

