



Advancing Vaccines for Better Lives

Company Presentation

Disclaimer



This presentation does not contain or constitute an offer of, or the solicitation of an offer to buy or subscribe for, Valneva SE shares to any person in the USA or in any jurisdiction to whom or in which such offer or solicitation is unlawful.

Valneva is a European company. Information distributed is subject to European disclosure requirements that are different from those of the United States. Financial statements and information may be prepared according to accounting standards which may not be comparable to those used generally by companies in the United States.

This presentation includes only summary information provided as of the date of this presentation only and does not purport to be comprehensive. Any information in this presentation is purely indicative and subject to modification at any time without notice. Valneva does not warrant the completeness, accuracy or correctness of the information or opinions contained in this presentation. None of Valneva, or any of its affiliates, directors, officers, advisors and employees, is under any obligation to update such information or shall bear any liability for any loss arising from any use of this presentation. The information has not been subject to independent verification and is qualified in its entirety by the business, financial and other information that Valneva is required to publish in accordance with the rules, regulations and practices applicable in particular to companies listed on the regulated market of Euronext in Paris, including in particular the risk factors described in Valneva's most recent universal registration document filed with the French Financial Markets Authority (*Autorité des Marchés Financiers*, or AMF) on April 9, 2021, in Valneva's half year financial report published on August 10, 2021 and the Form F-1 filed with the U.S. Securities and Exchange Commission on May 5, 2021, as well as in any other periodic report and in any other press release, which are available free of charge on the websites of Valneva (www.valneva.com) and/or the AMF (www.amf-france.org).

Certain information and statements included in this presentation are not historical facts but are forward-looking statements, including statements relating to the business of Valneva, including with respect to the progress, timing, results and completion of research, development and clinical trials for product candidates, relating to regulatory approval of product candidates, and estimates for future performance. Success in preclinical studies or earlier clinical trials may not be indicative of results in future clinical trials. The forward-looking statements (a) are based on current beliefs, expectations and assumptions, including, without limitation, assumptions regarding present and future business strategies and the environment in which Valneva operates, and involve known and unknown risk, uncertainties and other factors, which may cause actual results, performance or achievements to be materially different from those expressed or implied by these forward-looking statements, (b) speak only as of the date this presentation is released, and (c) are for illustrative purposes only. Investors are cautioned that forward-looking information and statements are not guarantees of future performances and are subject to various risks and uncertainties, many of which are difficult to predict and generally beyond the control of Valneva.

We are a **specialty vaccine company** focused on the **development and commercialization of prophylactic vaccines for infectious diseases** with significant unmet medical need



- **Highly specialized and targeted approach to development of unique prophylactic vaccines**
- **Advanced pipeline of differentiated clinical-stage assets** designed to address large target populations
- **Product development and regulatory expertise** with clear demonstrated ability of rapidly moving new vaccines through the clinic to commercialization
- **Highly developed, nimble and sophisticated manufacturing infrastructure**
- **Two commercialized vaccines, a specialist sales infrastructure and distribution rights for third-party vaccines**
- **Highly experienced leadership team with expertise in the vaccine space**

Research & Development



Valneva Has An Advanced Clinical Pipeline and Two Approved Products



¹ VLA15 received Fast Track designation from the FDA. ² VLA1553 received Fast Track designation from the FDA, PRIME designation from the European Medicines Agency and is also potentially eligible for a U.S. Priority Review Voucher. ³ Indications differ by country - Please refer to Product / Prescribing Information (PI) / Medication Guide approved in your respective countries for complete information, incl. dosing, safety and age groups in which this vaccine is licensed, ETEC = Enterotoxigenic Escherichia coli (E. Coli) bacterium

Lyme Disease Vaccine – VLA15



Lyme Disease Is a Major Health Issue

Severe Tick-transmitted Infection, Increasingly Common in the US and Europe


Early signs include **flu-like symptoms**¹ and **Erythema migrans rash**² which, if left untreated, can spread to joints (**arthritis**), heart (**carditis**) and cause **neurological problems**

No available treatment to protect against Lyme disease

Global market estimated to reach \$1 billion by 2030

Direct medical costs in the U.S. estimated up to \$1.3 billion each year – indicating an attractive healtheconomic benefit³

Spread of Lyme Across the US⁴



¹ Fever, chills, headache, fatigue, muscle and joint aches, swollen lymph nodes. ² Occurs in approx. 70-80% of infected persons. ³ Adrion, E. et al PLOS ONE Feb 2015.

⁴ Centers for Disease Control and Prevention



VLA15 – Multivalent Lyme Disease Vaccine Candidate

Only Lyme Disease Program in Advanced Clinical Development Today



1

FDA Fast Track Designation granted

2

Topline results reported from Phase 2 trials ^{1, 2}, incl. booster response³;
Recruitment completed for Ph 2 trial VLA15-221 incl. pediatric participants⁴

3

Multivalent vaccine (six serotypes) to protect against Lyme disease in the
United States and Europe

4

Follows proven Mechanism of Action for a Lyme disease vaccine

5

Exclusive, worldwide partnership with Pfizer

1 Valneva announces positive initial results for Phase 2 study of Lyme Disease vaccine candidate; 2 Valneva announces positive initial results for second Phase 2 study of Lyme Disease vaccine candidate VLA15; 3 Valneva and Pfizer Report Further Positive Phase 2 Results, Including Booster Response, for Lyme Disease Vaccine Candidate; 4 Valneva and Pfizer Complete Recruitment for Phase 2 Trial of Lyme Disease Vaccine Candidate



VLA15: Development Progress

Phase 2 trial¹ in Adults and Pediatric Subjects Ongoing

VLA15-221 recruitment completed in June 2021 with a total of 625 participants, 5 to 65 years of age, randomized²

- Topline results for VLA15-221 are expected in the first half of 2022
- VLA15-221 will also investigate a booster dose of VLA15, administered one year following the 6 Month dose¹

Further VLA15-202 results and topline booster data announced in Sep. 2021³

- VLA15 immunogenic across all dose groups; elicited high antibody responses across all serotypes one month after primary vaccination series (primary endpoint)
- Booster dose elicited strong anamnestic response

Phase 3 pivotal efficacy trial planned to commence pending positive readout from VLA15-221 in 2022¹

- Clinical readout, based on one tick season, projected by end of 2023
- \$25m milestone payment due to Valneva upon trial initiation


Initial submission for regulatory approval anticipated in H2 2024, assuming positive data

¹ Valneva and Pfizer Announce Initiation of Phase 2 Study for Lyme Disease Vaccine Candidate.; ² Valneva and Pfizer Complete Recruitment for Phase 2 Trial of Lyme Disease Vaccine Candidate ; ³ Valneva and Pfizer Report Further Positive Phase 2 Results, Including Booster Response, for Lyme Disease Vaccine Candidate

SARS-CoV-2 (COVID-19) Vaccine – VLA2001



VLA2001 – The Only Inactivated Vaccine Against COVID-19 in Clinical Development in Europe

A circular inset on the left side of the slide shows a microscopic image of a virus particle. It has a grey, textured outer shell with several red, crown-like structures (spikes) protruding from its surface.

1

Program acceleration enabled through use of Valneva's FDA-registered facility in Scotland, where commercial manufacturing commenced January 2021¹

2

Combines Valneva's proven approach of inactivated vaccines with Dynavax's advanced CpG 1018 adjuvant²

3

Positive Phase 3 Results from "Cov-Compare" reported in October 2021³

4

Rolling submission to MHRA commenced in Aug. 2021; Phase 3 "Cov-Compare" results intended to form the basis for potential regulatory approval in adults


Note: Photo credit: CDC/Alissa Eckert, MSMI; Dan Higgins, MAM. **1** [Valneva commences manufacturing of its Inactivated, Adjuvanted COVID-19 vaccine, completes Phase 1/2 study recruitment.](#) **2** [Valneva and Dynavax announce commercial supply agreement for Inactivated, Adjuvanted COVID-19 vaccine;](#) **3** [Valneva Reports Positive Phase 3 Results for Inactivated, Adjuvanted COVID-19 Vaccine Candidate VLA2001](#)

Phase 3 Cov-Compare Clinical Trial (VLA2001-301)



Study Description

- Randomized, observer-blind, controlled, immunogenicity trial comparing VLA2001 to AstraZeneca's conditionally approved vaccine, AZD1222 (ChAdOx1-S)
- 2,972 participants 30 years of age and older randomized (2:1) received two doses of either VLA2001 (n=1977) or AZD1222 (ChAdOx1-S) (n=995) at the recommended dose level, 28 days apart
- Also evaluating the safety and tolerability of VLA2001 in additional adults 18-29 years of age (n=1040), two weeks after the second vaccination



Primary Objective

Compare VLA2001 to AZD1222 (ChAdOx1-S) to determine:


- Superiority in terms of **Geometric Mean Titer ratio** of SARS-CoV-2-specific neutralizing antibodies at two weeks after the second vaccination (Day 43) in adults aged 30 years and older; and
- Non-inferiority in terms of **seroconversion rate** and
- Frequency and severity of any Adverse Events

Safety and Tolerability Results - VLA2001 was Well Tolerated


Solicited Adverse Events within 7 Days of Vaccination



Participants aged 30-55 years




VLA2001-301 – Preliminary Safety Conclusions





Immunogenicity Results – Primary Endpoints Met

VLA2001 superiority in GMT ratio & non-inferiority in SCR against AZD1222 (ChAdOx1-S)



The trial met its co-primary immunogenicity endpoints at two weeks after the second vaccination (i.e. Day 43) in adults aged 30 years and above


- VLA2001 demonstrated superiority against AZD1222 (ChAdOx1-S) in terms of geometric mean titer for neutralizing antibodies as measured by live virus microneutralization assay. (GMT ratio=1.39, $p < 0.0001$) (VLA2001 GMT 803.5 (95% CI: 748.48, 862.59))
- VLA2001 demonstrated non-inferiority in terms of seroconversion rates (SCR above 95% in both treatment groups)

VLA2001-301 Immunogenicity Conclusions – Endpoints Met




In addition, in the VLA2001 group, 45.9% had T-cells that were reactive against the N-protein, 74.3% against the S-protein and 20.3% against the M-protein.



VLA2001
N-Protein Day 43



VLA2001
S-protein Day 43



VLA2001
M-Protein Day 43



Other Clinical Data Conclusions



- The **occurrence of COVID-19** cases (exploratory endpoint) was **similar between treatment groups** in the participants **30 years and above**.
- The **complete absence** of any severe **COVID-19 cases** may suggest that **both vaccines** used in the study **prevented severe COVID-19** caused by the **circulating variant(s)** (predominantly Delta).





VLA2001 Clinical Development Plan

Plan will build further data and extend label

Ongoing

Ph1/2 VLA2001-201

- Extension for booster
- N= 77
- Age 18-55
- 6 Months follow-up

Ph3 VLA2001- 301a

- Adolescence
- Primary vaccination
- N= 660
- Age 12-17

Ph3 VLA2001-304

- Primary Elderly
- Single Arm Open Label
- N= 306
- Age 55+

Planned 2022

Ph3 VLA2001-301

- Primary Adults
N=4012*
- **Extension for
booster n=400**
- **Age 18-55+**

Ph3 VLA2001-321

- Pediatric
- N= 2200 Age 2-11
- Dose finding age 2-5
- Full dose age 5+

Ph3 VLA2001-3XX

- Booster study: N=200
- Age 12+
- Threshold based and
min. 6 months after
primary or infection



- **Valneva to submit Cov-Compare data to UK Medicines and Healthcare products Regulatory Agency (MHRA)**
 - › Rolling submission with MHRA commenced in August 2021¹
 - › Final submission to MHRA anticipated for November
 - › Potential initial approval by year-end

- **Valneva plans to submit data package to the European Medicines Agency (EMA)**
 - › Pre-submission discussions with EMA ongoing
 - › 306 elderly participants in the VLA2001-304 trial already enrolled² to collect additional data for the EMA data package
 - › Cov-Compare endpoints aligned with EMA

¹ [Valneva Commences Rolling Submission to MHRA for its Inactivated, Adjuvanted COVID-19 Vaccine](#); ² [Valneva Completes Recruitment of Elderly Participants in Phase 3 Trial of its Inactivated COVID-19 Vaccine](#)

Chikungunya Vaccine – VLA1553



VLA1553: Only Chikungunya Vaccine Candidate in Phase 3 Today

A close-up photograph of a mosquito feeding on human skin. The mosquito's head and proboscis are visible, and its legs are spread out. The background is a soft, out-of-focus green and yellow.

1

Positive Topline Results for Phase 3 trial VLA1553-301 reported¹; Use of surrogate marker for Phase 3 endpoint confirmed by FDA²; Accelerated Approval Pathway confirmed³

2

Potentially eligible for Priority Review Voucher⁴; FDA Fast Track⁵ and EMA PRIME⁶ designation granted

3

Single shot, live attenuated⁷ prophylactic vaccine targeting chikungunya virus neutralization

4

Up to \$23.4 million awarded to Valneva for R&D by CEPI; Partnership with Instituto Butantan for LMICs⁸

5

Excellent fit with existing commercial and manufacturing capabilities

Note: Photo credit: James Gathany. **1** [Valneva Announces Positive Phase 3 Pivotal Results for its Single-Shot Chikungunya Vaccine Candidate](#); **2** [Valneva Announces Publication of 2020 Universal Registration Document and Provides Business Updates](#) **3** [Valneva reports positive End-of-Phase 2 Chikungunya meeting with the U.S. FDA and sets stage for Phase 3 Study](#); **4** <https://www.fda.gov/about-fda/center-drug-evaluation-and-research-cder/tropical-disease-priority-review-voucher-program>. **5** [Valneva awarded FDA Fast Track Designation for Chikungunya vaccine candidate](#). **6** [Valneva's Chikungunya vaccine candidate awarded EMA prime designation](#). **7** [CHIKV LR2006-OPY1 infectious clone was attenuated by deleting large part of gene coding nsP3 \(alphavirus-replicase\)](#). **8** [Valneva to partner with Instituto Butantan on single-shot Chikungunya vaccine for low- and middle-Income countries](#).



VLA1553: Development Outlook

Pivotal Phase 3 Trial – Final Data Expected in Q1 2022

Most advanced chikungunya vaccine development program in the world

- Pivotal Phase 3 safety and immunogenicity trial progressing towards final analysis, in Q1 2022¹
- Lot-to-Lot consistency trial fully recruited (VLA1553-302), data expected late 2021²
- Antibody persistence follow-up trial (VLA1553-303) ongoing – up to 375 volunteers from VLA1553-301 will be followed up annually for five years after a single immunization¹

Valneva is discussing with the FDA to bring VLA1553 to a potential licensure as soon as possible

The sponsor of the first chikungunya vaccine approved in the U.S. will be eligible to receive a PRV

¹ [Valneva Announces Positive Phase 3 Pivotal Results for its Single-Shot Chikungunya Vaccine Candidate](#); ² [Valneva Initiates Phase 3 Clinical Lot Consistency Study for its Single-Shot Chikungunya Vaccine Candidate](#).

Commercial Products





Valneva Has a Specialist Travel Vaccine Business and is a Contractor to the US Military

- Prior to the pandemic, Valneva demonstrated a strong track record of sales growth built upon the solid foundation of its business relationship with the US DoD — €129.5m of product sales in 2019 (+25% AER, +22% CER)¹
- Direct sales channels in the US and several key markets
- Distributors in Germany and smaller markets
- Marketing & Distribution of 3rd party specialty vaccines²
- Three year supply deal with US Military/Dept of Defense representing a base value of \$118m if options are exercised. First year option exercised in Sep. 2021
- Valneva believes that the commercial business is a key asset for the future, e.g. chikungunya route to market, as the travel industry recovers

¹ Valneva reports record product sales and major pipeline progress in 2019, ²Valneva and Bavarian Nordic Announce Marketing and Distribution Partnership

Corporate Highlights and Newsflow



Strong Cash Position of €329.8 million at End of June including Proceeds from US IPO



- Cash / cash equivalents of €329.8 million at end of June (including proceeds from Global Offering)
- Successful Nasdaq listing (Q2); \$107.6 million of gross proceeds
 - Raised in an initial US public offering and a concurrent private placement in Europe





Chikungunya vaccine candidate VLA1553

- Final Phase 3 trial results expected in Q1 2022 (topline results reported Aug 2021)
- Topline data of clinical lot-to-lot consistency Phase 3 trial expected late 2021

Lyme disease vaccine candidate VLA15

- Further Phase 2 read-outs expected in 2022
- Phase 3 trial initiation expected in 2022

COVID-19 vaccine candidate VLA2001

- Regulatory submissions and supply contracts
- Further clinical development plans to complement current clinical trials

Thank you
Merci
Danke
Tack

